

•

Attorney's Docket No.: 08919-118001 / 12A-921219



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Tsann-Long Su et al.

Art Unit : 1614

Serial No.: 10/799,576

Examiner: Unknown

Filed

: March 12, 2004

Title

: 9-ANILINOACRIDINE ALKYLATING AGENTS

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

## INFORMATION DISCLOSURE STATEMENT

Applicant submits the references listed on the attached form PTO-1449.

This statement is being filed within three months of the filing date of the application or before the receipt of a first Office action on the merits. Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

John T. Kendall, Ph.D.

Reg. No. 50,680

Fish & Richardson P.C. 225 Franklin Street Boston, MA 02110-2804 Telephone: (617) 542-5070

Facsimile: (617) 542-8906

20897547.doc

## CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date of Deposit

Signature

Denise A. Rose

Typed or Printed Name of Person Signing Certificate

JUL 15 2004 ES

te Form PTO-1449

(37 CFR §1.98(b))

U.S. Department of Commerce Patent and Trademark Office Attorney's Docket No. Application No. 10/799,576

## Information Disclosure Statement by Applicant

(Use several sheets if necessary)

(Ose several sneets if necessary

Filing Date Group Art Unit
March 12, 2004 1614

Applicant

Tsann-Long Su et al.

Examiner	Desig.	ocuments (include Author, Title, Date, and Place of Publication)
Initial	Desig.	Document
mittai	10	Arcamone, F. M.; Animati, F. A.; Configliacchi, E.; D'Alessio, R.; Geroni, C.; Giuliani, F. C.;
		Lazzari, E.; Menozzi, M.; Mongelli, N.; Penco, S.; Verini, M. A. Synthesis, DNA-Binding
	AA	Properties, and Antitumor Activity of Novel Distamycin Derivatives. J. Med. Chem. 1989, 32, 774
	·	778.
	٠,	Baraldi, P. G.; Balboni, G.; Romagnoli, R.; Spalluto, G.; Cozzi, P.; Geroni, C.; Mongelli, N.;
	AB	Rutigliano, C.; Bianchi, N.; Gambari, R. PNU 157977: A New Potent Antitumor Agent Exhibiting
		Low in vivo Toxicity in Mice Injected with L1210 Leukemia Cells. Anti-Cancer Drug Desig, 1999
		14, 71-76.
		Baraldi, P. G.; Romagnoli, R.; Guadix, A. E.; Pineda des las Infantas, M. J.; Gallo, M. A.; Espinosa
		A.; Martinez, A.; Bingham, J. P.; Hartley, J. A. Design, Synthesis, and Biological Activity of
	AC	Hybrid Compounds between Uramustine and DNA Minor Groove Binder Distamycin A. J. Med.
		Chem. 2002, 45, 3630-3638.
		Baraldi, P. G.; Romagnoli, R.; Pavani, M. G.; Nunez, M. del C.; Bingham, J. P.; Hartey, J. A.
	AD	Benzoyl and Cinnamoyl Nitrogen Mustard Derivatives of Benzoheterocyclic Analogues of
		Tallimustine: Synthesis and Antitumor Activity. Bioorg. & Med. Chem. 2002, 10, 1611-1618.
	AE	Becker, A. and Rickard, R. W. An Expedient Synthesis of 3-Amino-5-hydroxy- benzoic acid and its
	AL	N-Alkyl Analogues. Tetrahedron, 1983, 39, 4189-4192.
	AF	Brendel, M. Ruhland, A. Relationship between functionality and genetic toxicology of selected
	711	DNA-damaging agents. Mutat. Res. 1984, 133, 51-85.
		Connors, T.A., Antitumor alkylating agents: Cytotoxic Action and Organ Toxicity. In Schmahl, D.
	AG	Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon:
		IARC). 1986, p. 143-145.
	AH	Cozzi, P.; Beria, I.; Caldarelli, M.; Capolongo, L.; Geroni, C.; Mazzini, S.; Ragg, E. Phenyl Sulfur
	, , , , ,	Mustard Derivatives of Distamycin. Bioorg. & Med. Chem. Letters, 2000, 10, 1653-1656.
	AI	Creech, H. J.; Preston, R. K.; Peck, R. M.; O'Connell, A. P. Antitumor and Mutagenic Properties of
		a Variety of Heterocyclic Nitrogen and Sulfur Mustards. J. Med. Chem. 1972, 15, 739-746.
	AT	Denny, W. A.; Atwell, G. J., and Cain, B. F. Potential Antitumor Agents. 32. Role of Agent Base
	AJ	Strength in the Quantitative Structure-Antitumor Relationships for 4'-(9-
		Acridinylamino)methanesulfonamide Analogues. J. Med. Chem. 1979, 22, 1453-1460.
	AK	Denny, W.A. Acridine-Based Antitumor Agents, In The Chemistry of Antitumor Agents. D.E.V. Wilman Ed.; Blackie, Chapman and Hall: New York, 1990; pp. 1-29.
		Fan, JY.; Valu, K. K.; Woodgate, P. D.; Baguley, B. C.; Denny, W. A. Aniline Mustard Analogue
,	AL	of the DNA-Intercalating Agent Amsacrine: DNA Intercalation and Bilogical Activity. Anti-Cancel
	AL	Drug Design, 1997, 12, 181-203.
	<del></del>	Gourdie, T. A.; Valu, K. K.; Gravatt, G. L.; Boritzki, T. J.; Baguley, B. C.; Wakelin, L. P. G.;
		Wilson, W. R.; Woodgate P. D.; Denny, W. A. DNA-Directed Alkylating Agents. 1. Structure-
	AM	Activity Relationships for Acridine-Linked Aniline Mustards: Consequences of Varying the
		Reactivity of the Mustard. J. Med. Chem. 1990, 33, 1177-1186.
		Gravatt, G. L.; Baguley, B. C.; Wilson, W. R.; Denny, W. A. DNA-Directed Alkylating Agents. 4.
	AN	4-Anilinoquinoline-Based Minor Groove Directed Aniline Mustards. J. Med. Chem. 1991, 34,
	7 27 7	1552-1560.
	-	Hansson, J.; Lewensohn, R.; Ringborg, U.; Nilsson, B. Formation and removal of DNA cross-links
	AO	induced by melphalan and nitrogen mustard in relation to drug-induced cytotoxicity in human
		melanoma cells. Cancer Res. 1987, 47, 2631-2637.
	ature	Date Considered

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 08919-118001	Application No. 10/799,576	•
	losure Statement plicant	Applicant Tsann-Long Su et al.		
(Use several sheets if necessary) (37 CFR §1.98(b))		Filing Date March 12, 2004	Group Art Unit 1614	

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner	Desig.	_
Initial	ID	Document
	AP	Hertzberg, R. P.; Dervan, P. B. Cleavage of Double Helical DNA by (Methidium-propyl-
	711	EDTA)iron(II). J. Am. Chem. Soc. 1982, 104, 313-315.
AQ		Köhler, B.; Su, TL.; Chou, TC.; Jiang, XJ.; Watanabe, K. A. Synthesis of
	AQ	Cyclopentanthraquinones: Analogues of Mitomycin C. J. Org. Chem. 1993, 58, 1680-1686.
AR		Kohn, K. W.; Hartley, J. A.; Mattes, W. B. Mechanisms of DNA sequence-selective alkylation of
	AK	guanine N7 positions by nitrogen mustards. Nucleic Acid Res. 1987, 15, 10531-10549.
	AC	Kohn, K. W.; Orr, A.; O'Connor, P. M. Synthesis and DNA-Sequence Selectivity of a Series of
	AS	Mono- and Difunctional 9-Aminoacridine Nitrogen Mustards. J. Med. Chem. 1994, 37, 67-72.
		Koyama, M.; Takahashi, K.; Chou, TC.; Darzynkiewicz, Z.; Kapuscinnski, J.; Kelly, T. R.;
:	_ AT	Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of
	AT	Potential Anticancer Agents. 2. Derivatives of Chrysophanol and Emodin. J. Med. Chem. 1989, 32,
		1594-1599.
	ATT	Liu, L. F. DNA Topoisomerase Poison as antitumor Drugs. Annu. Rev. Biochem. 1989, 58, 351-
	AU	357.
		McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity,
	AV	Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Anilinoquinoline Aniline Mustards.
		Anti-Cancer Drug Design, 1999, 14, 187-204.
		Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with
	AW	Antitumor Activity. J. Med. Chem. 1966, 9, 217-221.
	4.37	Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of
	AX	the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354.
		Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G.
Ì	AY	DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by
		DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807.
		Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological
	AZ	Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292.
		Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis.
	AAA	IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-
		1015.
		Robertson, I. G.; Kestell, P.; Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the
	ABB	Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug.
		Interact. 1988, 6, 371-381.
		Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the
	ACC	Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22,
		657-669.
		Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D.
	ADD	Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon:
		IARC). 1986, p. 29-35.
		Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-
	AEE	(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-
		1945.
		Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and
	AFF	carcinogenesis. Prog. Nucl. Acids Res. Mol. Biol. 1975, 15, 219-284.
	i	1

Examiner Signature	Date Considered
·	
	I.
EXAMINER: Initials citation considered. Draw line through citation if no	t in conformance and not considered. Include copy of this form with
next communication to applicant	

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 08919-118001	Application No. 10/799,576
	losure Statement plicant	Applicant Tsann-Long Su et al.	
(Use several sheets if necessary) (37 CFR §1.98(b))		Filing Date March 12, 2004	Group Art Unit 1614

Other Documents (include Author, Title, Date, and Place of Publication)		
Examiner Initial	Desig. ID	Document
	AGG	Su, TL. Development of DNA Topoisomerase II-Mediated Anticancer Agents, 3-(9-Acridinylamino)-5-hydroxymethylaniline (AHMAs) and Related Compounds. Current Med. Chem. 2002, 9, 1677-1688.
	АНН	Su, TL.; Chen, CH.; Huang, LF.; Chen, CH.; Basu, M. K.; Zhang, XG.; Chou, TC. Synthesis and Structure-Activity Relationships of Potential Anticancer Agents: Alkylcarbamates of 3-(9-Acridinylamino)-5-hydroxymethylamine. J. Med. Chem. 1999, 42, 4741-4748.
	AII	Su, TL.; Chou, TC.; Kim, J. Y.; Huang, JT.; Ciszewska, G.; Ren, WY.; Otter, G. M.; Sirotnak, F. M.; Watanabe, K. A. 9-Substituted Acridine Derivatives with long Half-life and Potent Antitumor Activity: Synthesis and Structure-Activity Relationships. J. Med. Chem. 1995, 38, 3226-3235.
-	AJJ	Suzukake, K.; Vistica, B. P.; Vistica, D. T. Dechlorination of L-phenylalanine mustard by sensitive and resistant tumor cells and its relationship to intracellular glutathione content. Biochem. Pharmacol. 1983, 32, 165-167.
	AKK	Turner, P. R.; Ferguson, L. R.; Denny, W. A. Polybenzamide Mustards: Structure-Activity Relationships for DNA Sequence-Specific Alkylation. Anti-Cancer Drug Design. 1999, 14, 61-70.
	ALL	Valu, K. K.; Gourdie, T. A.; Gravatt, G. L.; Boritzki, T. J.; Woodgate, P. D.; Baguley, B. C.; Denny, W. A. DNA-Directed Alkylating Agents. 3. Structure-Activity Relationships for Acridine-Linked Aniline Mustards: Consequences of Varying the Length of the Linker Chain. J. Med. Chem. 1990, 33, 3014-3019.
	AMM	Weiss, G. R.; Poggesi, I.; Rocchetti, M.; Demaria, D.; Mooneyham, T.; Reilly, D.; Vitek, L. V.; Whaley, F.; Patricia, E.; von Hoff, D. D.; O'Dwyer, P. A Phase I and Pharmacokinetic Study of Tallimustine [PNU152241 (FCE 24517)] in Patients with Advanced Cancer. Clin. Cancer Res. 1998, 4, 53-59.
	ANN	Wyatt, M. D.; Garbiras, B. J.; Haskell, M. K.; Lee, M.; Souhami, R. L.; Hartley, J. A. Structure-Activity Relationship of a Series of Nitrogen Mustard- and Pyrrole-Containing Minor Groove Binding Agents Related to Distamycin. Anti-Cancer Drug Designs, 1994, 9, 511-525.
	A00	Wyatt, M. D.; Lee, M.; Hartley, J. A. Alkylation Specificity for a Series of Distamycin Analogues that tether Chloambucil. Anti-Cancer Drug Design, 1997, 12, 49-60.

Examiner Signature	Date Considered